

## Binomial Theorem

$$(1+x)^n = 1 + \frac{n}{1}x + \frac{n(n-1)}{2!}x^2 + \frac{n(n-1)(n-2)}{3!}x^3 \dots$$

$n$  must be rational and not positive integer

$$|x| < 1$$

## Questions

Rewrite as approximations using the binomial expansion as far as the  $x^4$  term:

1)  $(1+x)^{-5}$

3)  $(4+x)^{-5}$

2)  $(1+2x)^{-5}$

4)  $(4+12x)^{-5}$

Rewrite as approximations using the binomial expansion as far as the  $x^3$  term:

5)  $(1+x)^{\frac{1}{2}}$

7)  $(4+x)^{\frac{1}{2}}$

6)  $(1+2x)^{\frac{1}{2}}$

8)  $(4+12x)^{\frac{1}{2}}$

9)  $(1+x)^{-3} + (2+3x)^{-3}$

### Extra Practice

As far as the  $x^4$  term

10)  $(1+x)^{-6}$

11)  $(1+2x)^{-6}$

12)  $(4+3x)^{-5}$

As far as the  $x^3$  term

13)  $(1+x)^{\frac{1}{4}}$

14)  $(1+2x)^{\frac{1}{4}}$

15)  $(4+12x)^{\frac{1}{4}}$

16)  $(4+x)^{\frac{1}{4}}$

### Application

Show that  $\left(1 + \frac{x}{25}\right)^{\frac{1}{2}} = 1 + \frac{x}{50} - \frac{x^2}{5000} + \frac{x^3}{250000} - \dots$

By substituting  $x=1$  into the expression above, deduce that  $\sqrt{26} \approx 5.09902$

## Answers

Rewrite as approximations using the binomial expansion as far as the  $x^4$  term:

$$1) (1+x)^{-5} = 1 - 5x + 15x^2 - 35x^3 + 70x^4$$

$$2) (1+2x)^{-5} = 1 - 10x + 60x^2 - 280x^3 + 1120x^4$$

$$3) (4+x)^{-5} = 4^{-5} \left(1 + \frac{x}{4}\right)^{-5} = \frac{1}{1024} - \frac{5}{4096}x + \frac{15}{16384}x^2 - \frac{35}{65536}x^3 + \frac{35}{131072}x^4$$

$$4) (4+12x)^{-5} = 4^{-5} (1+3x)^{-5} = \frac{1}{1024} - \frac{15}{1024}x + \frac{135}{1024}x^2 - \frac{945}{1024}x^3 + \frac{2835}{512}x^4$$

Rewrite as approximations using the binomial expansion as far as the  $x^3$  term:

$$5) (1+x)^{\frac{1}{2}} = 1 + \frac{1}{2}x - \frac{1}{8}x^2 + \frac{1}{16}x^3$$

$$6) (1+2x)^{\frac{1}{2}} = 1 + x - \frac{1}{2}x^2 + \frac{1}{2}x^3$$

$$7) (4+x)^{\frac{1}{2}} = 4^{\frac{1}{2}} \left[ \left(1 + \frac{x}{4}\right)^{\frac{1}{2}} \right] = 2 + \frac{1}{4}x - \frac{1}{64}x^2 + \frac{1}{512}x^3$$

$$8) (4+12x)^{\frac{1}{2}} = 4^{\frac{1}{2}} \left[ (1+3x)^{\frac{1}{2}} \right] = 2 + 3x - \frac{9}{4}x^2 + \frac{27}{8}x^3$$

$$9) (1+x)^{-3} + (2+3x)^{-3} = \frac{9}{8} - \frac{57}{16}x + \frac{123}{16}x^2 - \frac{455}{32}x^3$$

Extra practice:

$$10) (1+x)^{-6} = 1 - 6x + 21x^2 - 56x^3 + 126x^4$$

$$11) (1+2x)^{-6} = 1 - 12x + 84x^2 - 448x^3 + 2016x^4$$

$$12) (4+3x)^{-5} = 4^{-5} \left[ \left(1 + \frac{3}{4}x\right)^{-5} \right] = \frac{1}{1024} - \frac{15}{4096}x + \frac{135}{16384}x^2 - \frac{945}{65536}x^3 + \frac{2835}{262144}x^4$$

$$13) (1+x)^{\frac{1}{4}} = 1 + \frac{1}{4}x - \frac{3}{32}x^2 + \frac{7}{128}x^3$$

$$14) (1+2x)^{\frac{1}{4}} = 1 + \frac{1}{2}x - \frac{3}{8}x^2 + \frac{7}{16}x^3$$

$$15) (4+12x)^{\frac{1}{4}} = \sqrt{2} + \frac{3\sqrt{2}}{4}x - \frac{27\sqrt{2}}{32}x^2 + \frac{189\sqrt{2}}{128}x^3$$

$$16) (4+x)^{\frac{1}{4}} = \sqrt{2} + \frac{\sqrt{2}}{16}x - \frac{3\sqrt{2}}{512}x^2 + \frac{7\sqrt{2}}{8192}x^3$$

$$\begin{array}{r}
 1. \ 2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 9 \ 0 \ 1 \ 2 \dots \\
 \hline
 81 \overline{) 100. \overset{19}{0} \overset{28}{0} \overset{37}{0} \overset{46}{0} \overset{55}{0} \overset{64}{0} \overset{73}{0} \overset{10}{0} \overset{10}{0} \overset{19}{0} \dots}
 \end{array}$$

Activity...

$$(1+x)^n = 1 + \frac{n}{1}x + \frac{n(n-1)}{2!}x^2 + \frac{n(n-1)(n-2)}{3!}x^3 \dots$$

Check for...

$$n = -1, x = -x$$

Compare LHS vs RHS

Compare Graphs (between limits)

Compare the geometric series

Substitute values of x to check ( $x = 1, x = 1/2$ )

$$n = -2, \quad x = -x$$

Compare LHS vs RHS

Compare Graphs (between limits)

Compare the geometric series

Substitute values of x to check ( $x = 1, x = 1/2, x = 0.1$ )

Relate to 100/81

$$n = 1/2, \quad x = x$$

Compare LHS vs RHS

Compare Graphs (between limits)

Compare the geometric series

Substitute values of x to check

Square both sides