

General Certificate of Education  
January 2005  
Advanced Subsidiary Examination



**MATHEMATICS**  
**Unit Mechanics 1B**

**MM1B**

Monday 31 January 2005 Morning Session

**In addition to this paper you will require:**

- an 8-page answer book;
  - the **blue** AQA booklet of formulae and statistical tables.
- You may use a graphics calculator.

Time allowed: 1 hour 30 minutes

**Instructions**

- Use blue or black ink or ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The *Examining Body* for this paper is AQA. The *Paper Reference* is MM1B.
- Answer **all** questions.
- All necessary working should be shown; otherwise marks for method may be lost.
- The final answer to questions requiring the use of calculators should be given to three significant figures, unless stated otherwise.
- Take  $g = 9.8 \text{ m s}^{-2}$ , unless stated otherwise.

**Information**

- The maximum mark for this paper is 75.
- Mark allocations are shown in brackets.
- Unit Mechanics 1B has a **written paper only**.

**Advice**

- Unless stated otherwise, formulae may be quoted, without proof, from the booklet.


---

Answer **all** questions.


---

- 1 A train travels along a straight horizontal track. It is travelling at a speed of  $12 \text{ m s}^{-1}$  when it begins to accelerate uniformly. It reaches a speed of  $40 \text{ m s}^{-1}$  after accelerating for 100 seconds.
- (a) (i) Show that the acceleration of the train is  $0.28 \text{ m s}^{-2}$ . (2 marks)
- (ii) Find the distance that the train travelled in the 100 seconds. (2 marks)
- (b) The mass of the train is 200 tonnes and a resistance force of 40 000 N acts on the train. Find the magnitude of the driving force produced by the engine that acts on the train as it accelerates. (3 marks)
- 2 A particle,  $A$ , of mass 12 kg is moving on a smooth horizontal surface with velocity  $\begin{bmatrix} 4 \\ 7 \end{bmatrix} \text{ m s}^{-1}$ . It then collides and coalesces with a second particle,  $B$ , of mass 4 kg.
- (a) If before the collision the velocity of  $B$  was  $\begin{bmatrix} 2 \\ 3 \end{bmatrix} \text{ m s}^{-1}$ , find the velocity of the combined particle after the collision. (4 marks)
- (b) If after the collision the velocity of the combined particle is  $\begin{bmatrix} 1 \\ 4 \end{bmatrix} \text{ m s}^{-1}$ , find the velocity of  $B$  before the collision. (3 marks)

- 3 The diagram shows a rope that is attached to a box of mass 25 kg, which is being pulled along rough horizontal ground. The rope is at an angle of  $30^\circ$  to the ground. The tension in the rope is 40 N. The box accelerates at  $0.1 \text{ m s}^{-2}$ .




- (a) Draw a diagram to show all of the forces acting on the box. *(1 mark)*
- (b) Show that the magnitude of the friction force acting on the box is 32.1 N, correct to three significant figures. *(3 marks)*
- (c) Show that the magnitude of the normal reaction force that the ground exerts on the box is 225 N. *(3 marks)*
- (d) Find the coefficient of friction between the box and the ground. *(2 marks)*
- (e) State what would happen to the magnitude of the friction force if the angle between the rope and the horizontal were increased. Give a reason for your answer. *(2 marks)*
- 4 Two particles are connected by a string, which passes over a pulley. Model the string as light and inextensible. The particles have masses of 2 kg and 5 kg. The particles are released from rest.




- (a) State one modelling assumption that you should make about the pulley in order to determine the acceleration of the particles. *(1 mark)*
- (b) By forming an equation of motion for each particle, show that the magnitude of the acceleration of each particle is  $4.2 \text{ m s}^{-2}$ . *(5 marks)*
- (c) Find the tension in the string. *(2 marks)*

- 5 Two ropes are attached to a load of mass 500 kg. The ropes make angles of  $30^\circ$  and  $45^\circ$  to the vertical, as shown in the diagram. The tensions in these ropes are  $T_1$  and  $T_2$  newtons. The load is also supported by a vertical spring.



The system is in equilibrium and  $T_1 = 200$ .

- (a) Show that  $T_2 = 141$ , correct to three significant figures. (3 marks)
- (b) Find the force that the spring exerts on the load. (4 marks)
- 6 A motor boat can travel at a speed of  $6 \text{ m s}^{-1}$  relative to the water. It is used to cross a river in which the current flows at  $2 \text{ m s}^{-1}$ . The resultant velocity of the boat makes an angle of  $60^\circ$  to the river bank, as shown in the diagram.



The angle between the direction in which the boat is travelling relative to the water and the resultant velocity is  $\alpha$ .

- (a) Show that  $\alpha = 16.8^\circ$ , correct to three significant figures. (4 marks)
- (b) Find the magnitude of the resultant velocity. (3 marks)

- 7 The unit vectors  $\mathbf{i}$  and  $\mathbf{j}$  are directed east and north respectively. A yacht moves with a constant acceleration. At time  $t$  seconds the position vector of the yacht is  $\mathbf{r}$  metres. When  $t = 0$  the velocity of the yacht is  $(2\mathbf{i} - \mathbf{j})\text{ms}^{-1}$ , and when  $t = 10$  the velocity of the yacht is  $(-\mathbf{i} + \mathbf{j})\text{ms}^{-1}$ .
- (a) Find the acceleration of the yacht. *(3 marks)*
- (b) When  $t = 0$  the yacht is 20 metres due east of the origin. Find an expression for  $\mathbf{r}$  in terms of  $t$ . *(3 marks)*
- (c) (i) Show that when  $t = 20$  the yacht is due north of the origin. *(2 marks)*
- (ii) Find the speed of the yacht when  $t = 20$ . *(4 marks)*
- 8 A football is placed on a horizontal surface. It is then kicked, so that it has an initial velocity of  $12\text{ms}^{-1}$  at an angle of  $40^\circ$  above the horizontal.
- (a) State two modelling assumptions that it would be appropriate to make when considering the motion of the football. *(2 marks)*
- (b) (i) Find the time that it takes for the ball to reach its maximum height. *(4 marks)*
- (ii) Hence show that the maximum height of the ball is 3.04 metres, correct to three significant figures. *(3 marks)*
- (c) After the ball has reached its maximum height, it hits the bar of a goal at a height of 2.44 metres. Find the horizontal distance of the goal from the point where the ball was kicked. *(7 marks)*

**END OF QUESTIONS**

**THERE ARE NO QUESTIONS PRINTED ON THIS PAGE**

**THERE ARE NO QUESTIONS PRINTED ON THIS PAGE**

**THERE ARE NO QUESTIONS PRINTED ON THIS PAGE**