



General Certificate of Education

Mathematics 6360

MD02 Decision 2

Mark Scheme

2007 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Key to mark scheme and abbreviations used in marking

M	mark is for method		
m or dM	mark is dependent on one or more M marks and is for method		
A	mark is dependent on M or m marks and is for accuracy		
B	mark is independent of M or m marks and is for method and accuracy		
E	mark is for explanation		
√ or ft or F	follow through from previous incorrect result	MC	mis-copy
CAO	correct answer only	MR	mis-read
CSO	correct solution only	RA	required accuracy
AWFW	anything which falls within	FW	further work
AWRT	anything which rounds to	ISW	ignore subsequent work
ACF	any correct form	FIW	from incorrect work
AG	answer given	BOD	given benefit of doubt
SC	special case	WR	work replaced by candidate
OE	or equivalent	FB	formulae book
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme
-x EE	deduct x marks for each error	G	graph
NMS	no method shown	c	candidate
PI	possibly implied	sf	significant figure(s)
SCA	substantially correct approach	dp	decimal place(s)

No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

MD02

Q	Solution	Marks	Total	Comments																								
1(a)	<table border="1"> <thead> <tr> <th>Activity</th> <th>Immediate Predecessors</th> </tr> </thead> <tbody> <tr><td>A</td><td>-</td></tr> <tr><td>B</td><td>-</td></tr> <tr><td>C</td><td>A, B</td></tr> <tr><td>D</td><td>B</td></tr> <tr><td>E</td><td>B</td></tr> <tr><td>F</td><td>C</td></tr> <tr><td>G</td><td>D</td></tr> <tr><td>H</td><td>D, E</td></tr> <tr><td>I</td><td>F, G</td></tr> <tr><td>J</td><td>G, H</td></tr> <tr><td>K</td><td>I, J</td></tr> </tbody> </table>	Activity	Immediate Predecessors	A	-	B	-	C	A, B	D	B	E	B	F	C	G	D	H	D, E	I	F, G	J	G, H	K	I, J	M1 A1	2	Up to 2 slips All correct
Activity	Immediate Predecessors																											
A	-																											
B	-																											
C	A, B																											
D	B																											
E	B																											
F	C																											
G	D																											
H	D, E																											
I	F, G																											
J	G, H																											
K	I, J																											
1(b)		M1 A1 M1 A1	4	Start times – up to 1 slip with FT All correct Finish times – up to 1 slip; FT ‘their 16’ All correct; CSO																								
1(c)	Critical path <i>B D H J K</i> Minimum time 16 days	B1 B1	2																									
1(d)	Greatest float at <i>E</i> Value = 2	B1✓ B1✓	2																									
	Total		10																									

MD02 (cont)

Q	Solution	Marks	Total	Comments	
2(a)	$\begin{array}{ccccc} 10 & 11 & 8 & 12 & 5 \\ 11 & 5 & 11 & 6 & 7 \\ 12 & 8 & 7 & 11 & 4 \\ 10 & 9 & 14 & 10 & 6 \\ 9 & 9 & 7 & 8 & 9 \end{array}$				
	$\begin{array}{ccccc} 5 & 6 & 3 & 7 & 0 \\ 6 & 0 & 6 & 1 & 2 \\ 8 & 4 & 3 & 7 & 0 \\ 4 & 3 & 8 & 4 & 0 \\ 2 & 2 & 0 & 1 & 2 \end{array}$	M1		Row reduction up to 2 slips	
		A1		Correct	
	Printed answer	A1	3	Columns AG	
	(b)	$\begin{array}{ccccc c} 3 & 6 & 3 & 6 & 0 & \\ \hline 4 & 0 & 6 & 0 & 2 & \\ 6 & 4 & 3 & 6 & 0 & \\ 2 & 3 & 8 & 3 & 0 & \\ \hline 0 & 2 & 0 & 0 & 2 & \end{array}$	B1		Covering zeros with 3 lines
		$\begin{array}{ccccc} 1 & 4 & 1 & 4 & 0 \\ 4 & 0 & 6 & 0 & 4 \\ 4 & 2 & 1 & 4 & 0 \\ 0 & 1 & 6 & 1 & 0 \\ 0 & 2 & 0 & 0 & 4 \end{array}$	M1		Subtract 2 from uncovered and add 2 to double covered
			A1		Table correct
		Can now be covered with 4 lines, so reduce again	M1		Subtract 1 from uncovered; Add 1 to double covered
		$\begin{array}{ccccc} 1 & 3 & 0 & 3 & 0 & & 0 & 3 & 0 & 3 & 0 \\ 5 & 0 & 6 & 0 & 5 & & 4 & 0 & 6 & 0 & 5 \\ 4 & 1 & 0 & 3 & 0 & \text{or} & 3 & 1 & 0 & 3 & 0 \\ 0 & 0 & 5 & 0 & 0 & & 0 & 1 & 6 & 1 & 1 \\ 1 & 2 & 0 & 0 & 5 & & 0 & 2 & 0 & 0 & 5 \end{array}$	A1	5	
		(c) Matching $A - 4, B - 2, D - 5$	B1		
And either $C - 1, E - 3$		B1			
or $C - 3, E - 1$		B1	3		
(d) $(10 + 5 + 8) + (8 + 4) = \text{£}35$		B1	1		
		Total		12	

MD02 (cont)

Q	Solution	Marks	Total	Comments
3(a)(i)	$\text{Min } R_1 (5, 2, -1) = -1$ $\text{Min } R_2 (-3, -1, 5) = -3$ $\text{Min } R_3 (4, 1, -2) = -2$ $\text{Max min} = -1$ \Rightarrow Play safe strategy R_1	E1 B1	2	
(ii)	$\text{Max } C_1 = 5; \text{max } C_2 = 2; \text{max } C_3 = 5$ $\text{Min } (5, 2, 5) = 2$ $2 \neq -1 \Rightarrow$ no stable solution	M1 A1	2	
(b)	$R_3 (4, 1, -2) < R_1 (5, 2, -1)$	E1	1	
(c)(i)	C_1 played, expected gain for Rose: $5p + -3(1-p)$ $= 8p - 3$ $C_2 : 2p - (1-p) = 3p - 1$ $C_3 : -p + 5(1-p) = 5 - 6p$	M1 A1 A1	3	Any correct expected gain unsimplified One correct simplified All correct simplified
(ii)	Expected gain 	M1 A1	2	Plotting at least 2 lines All correct with values at $p = 0$ and $p = 1$ indicated
(iii)	Choosing A – highest point in feasible region $\Rightarrow 3p - 1 = 5 - 6p$ $9p = 6$ $\Rightarrow p = \frac{2}{3}$ \Rightarrow Rose plays $R_1 \frac{2}{3}$ of time and $R_2 \frac{1}{3}$ of time	M1 A1 E1✓	3	Solving this equation CSO
(iv)	Value of game $= 3 \times \frac{2}{3} - 1 = 1$	B1	1	Or $5 - 4 = 1$
	Total		14	

MD02 (cont)

Q	Solution	Marks	Total	Comments
4(a)	$x + 2y \leq 36$	M1	2	One correct, or all inequalities with <
	$x + y \leq 20$	A1		All correct
	$4x + y \leq 39$			
(b)(i)	Choosing 2 as pivot	M1		And perhaps dividing second row by 2
	$P \quad x \quad y \quad s \quad t \quad u \quad \text{value}$	m1		Row operations
	1 $-\frac{1}{2}$ 0 $2\frac{1}{2}$ 0 0 90			
	0 $\frac{1}{2}$ 1 $\frac{1}{2}$ 0 0 18	A1		One row correct
	0 $\frac{1}{2}$ 0 $-\frac{1}{2}$ 1 0 2			
	0 $3\frac{1}{2}$ 0 $-\frac{1}{2}$ 0 1 21	A1	4	All rows correct (condone multiples of rows)
(ii)	Negative value in top row \Rightarrow optimum not yet reached	E1	1	
(c)(i)	New pivot (x -column, 3rd row)	M1		And perhaps multiplying by 2
	$P \quad x \quad y \quad s \quad t \quad u \quad \text{value}$	m1		Row operations
	1 0 0 2 1 0 92			
	0 0 1 1 -1 0 16	A1		One row correct
	0 1 0 -1 2 0 4			
	0 0 0 3 -7 1 7	A1	4	All rows correct
(ii)	Optimum value reached	E1		(Or not? – if their tableau wrong)
	$P = 92, x = 4, y = 16$ $s = 0, t = 0, u = 7$	B1✓ B1	3	FT 3 values CSO (final tableau must be correct)
	Total		14	

MD02 (cont)

Q	Solution	Marks	Total	Comments																																																																	
5(a)	(May use correct network instead of table but must work backwards through network)																																																																				
	<table border="1"> <thead> <tr> <th>Month</th> <th>Already Built</th> <th>Machine Built</th> <th>Cost (£)</th> <th>Total Cost (* = min)</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>A and B</td> <td>C</td> <td>520</td> <td>520*</td> </tr> <tr> <td></td> <td>A and C</td> <td>B</td> <td>500</td> <td>500*</td> </tr> <tr> <td></td> <td>B and C</td> <td>A</td> <td>510</td> <td>510*</td> </tr> <tr> <td>2</td> <td>A</td> <td>B</td> <td>440</td> <td>440 + 520 = 960*</td> </tr> <tr> <td></td> <td></td> <td>C</td> <td>500</td> <td>490 + 500 = 990</td> </tr> <tr> <td></td> <td>B</td> <td>A</td> <td>510</td> <td>510 + 520 = 1030</td> </tr> <tr> <td></td> <td></td> <td>C</td> <td>500</td> <td>500 + 510 = 1010*</td> </tr> <tr> <td></td> <td>C</td> <td>A</td> <td>520</td> <td>520 + 500 = 1020</td> </tr> <tr> <td></td> <td></td> <td>B</td> <td>490</td> <td>490 + 510 = 1000*</td> </tr> <tr> <td>1</td> <td>-</td> <td>A</td> <td>500</td> <td>500 + 960 = 1460</td> </tr> <tr> <td></td> <td>-</td> <td>B</td> <td>440</td> <td>440 + 1010 = 1450*</td> </tr> <tr> <td></td> <td>-</td> <td>C</td> <td>475</td> <td>475 + 1000 = 1475</td> </tr> </tbody> </table>	Month	Already Built	Machine Built	Cost (£)	Total Cost (* = min)	3	A and B	C	520	520*		A and C	B	500	500*		B and C	A	510	510*	2	A	B	440	440 + 520 = 960*			C	500	490 + 500 = 990		B	A	510	510 + 520 = 1030			C	500	500 + 510 = 1010*		C	A	520	520 + 500 = 1020			B	490	490 + 510 = 1000*	1	-	A	500	500 + 960 = 1460		-	B	440	440 + 1010 = 1450*		-	C	475	475 + 1000 = 1475			
Month	Already Built	Machine Built	Cost (£)	Total Cost (* = min)																																																																	
3	A and B	C	520	520*																																																																	
	A and C	B	500	500*																																																																	
	B and C	A	510	510*																																																																	
2	A	B	440	440 + 520 = 960*																																																																	
		C	500	490 + 500 = 990																																																																	
	B	A	510	510 + 520 = 1030																																																																	
		C	500	500 + 510 = 1010*																																																																	
	C	A	520	520 + 500 = 1020																																																																	
		B	490	490 + 510 = 1000*																																																																	
1	-	A	500	500 + 960 = 1460																																																																	
	-	B	440	440 + 1010 = 1450*																																																																	
	-	C	475	475 + 1000 = 1475																																																																	
	Order is <i>BCA</i>																																																																				
(b)	Choosing other values at stage 2 New totals at stage 1																																																																				
	Maximum profit <i>CAB</i>																																																																				
	Total		10																																																																		

MD02 (cont)

Q	Solution	Marks	Total	Comments								
6(a)(i)	$5 + 8 + 16 - 3 = 26$	B1	1									
(ii)	Max flow ≤ 26	E1✓	1									
(b)				B1 $MP - 9$ B1 $PN - 5$ B1 $NR - 4$ B1 $QR - 12$								
(c)(i)			4	M1 initial flow – forward and backward 6 pairs correct A1 correct OM 2 & 3; MN 2 & 1 NT 5 & 0; MP 3 & 1 SQ 3 & 2; PQ 3 & 1 PN 3 & 1; QR 1 & 5 NR 2 & 1; RT 0 & 6								
(ii)	Adjusting flows on network <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Path</th> <th>Flow</th> </tr> </thead> <tbody> <tr> <td>SMNT</td> <td>2</td> </tr> <tr> <td>SQPNT</td> <td>1</td> </tr> <tr> <td>SQRNT</td> <td>1</td> </tr> </tbody> </table>	Path	Flow	SMNT	2	SQPNT	1	SQRNT	1	M1A1 B1 B1 B1	2 5	First correct path and flow Second correct Rest
Path	Flow											
SMNT	2											
SQPNT	1											
SQRNT	1											
(iii)			2	M1 6 flows correct A1 all correct Or or								
Total			15									
TOTAL			75									